	20.					
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Lı	mr (61	@ad<"20000928" and (ticket with invalidat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 08:24
L2	\{\begin{aligned} \{\epsilon\} \epsilon\}	@ad<"20000928" and (kerberos with ticket) and ((invalidat\$3 revoc\$5) with list)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 08:26
L3	0	@ad<"20000928" and (kerberos with ticket) same ((invalidat\$3 revoc\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 08:26
L4	Full (1	@ad<"20000928" and (kerberos with ticket) and ((invalidat\$3 revoc\$5) same ticket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 08:26
L7	10279	709/224,225,229,226,239.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 09:44
L8	I <sup>Mb</sup> (153)	726/10.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 09:44
L9	ABS (21	)17 and 18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 09:44
L10 }	2) ( 5)	9 and load	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 09:44
S15 2	207	@ad<"20000928" and mirror\$3 and (load adj balanc\$3) and (ticket token)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/13 14:34
S15 3	95	@ad<"20000928" and mirror\$3 and (load adj balanc\$3) and (ticket )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/13 14:46
\$15 4	100 8 100 8	@ad<"20000928" and mirror\$3 and (load adj balanc\$3) and (ticket with access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/13 14:46